

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	705	385/32	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:52
L2	7267	((385/15) or (385/27-35) or (385/140)).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:52
L3	314	(385/32).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:52
L4	1	L2 and ((coil or coiled or coiling or coils) with (back near2 (reflect or reflection or reflections or reflecting or reflected)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:52
L5	7	L2 and ((coil or coiled or coiling or coils) same (back near2 (reflect or reflection or reflections or reflecting or reflected)))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:52
L6	2	((coil or coiled or coiling or coils) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) same (back near2 (reflect or reflection or reflections or reflecting or reflected))	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 18:09
L7	59	((coil or coiled or coiling or coils) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) same (back near2 (reflect or reflection or reflections or reflecting or reflected))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:52
L8	0	((coil or coiled or coiling or coils or wound or winds or winding) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with ((minimize or minimized or minimizing or minimization or minimizes or minimised or minimises or minimise or minimisation or minimising or reduce or reduced or reducing or reduction or reduces or eliminate or eliminates or eliminated or elimination or eliminating) near2 (reflection or reflections or reflected or back-reflection or back-reflections or back-reflected))	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:52
L9	4	((coil or coiled or coiling or coils or wound or winds or winding) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with ((minimize or minimized or minimizing or minimization or minimizes or minimised or minimises or minimise or minimisation or minimising or reduce or reduced or reducing or reduction or reduces or eliminate or eliminates or eliminated or elimination or eliminating) near2 (reflection or reflections or reflected or back-reflection or back-reflections or back-reflected))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:52

L10	3	((coil or coiled or coiling or coils or wound or winds or winding) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with ((suppress or suppresses or suppressing or suppressed) near2 (reflection or reflections or reflected or back-reflection or back-reflections or back-reflected))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:52
L11	68	L1 and ((minimize or minimized or minimizing or minimization or minimizes or minimised or minimises or minimise or minimisation or minimising or reduce or reduced or reducing or reduction or reduces or eliminate or eliminates or eliminated or elimination or eliminating or suppress or suppresses or suppressing or suppressed or suppression) near2 (reflection or reflections or reflected or back-reflection or back-reflections or back-reflected))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:52
L12	123	((coil or coiled or coiling or coils or wind or winding or wound) near4 (fiber or fibers or fibre or fibres or waveguide or waveguides)) same (back near2 (reflect or reflection or reflected or reflections or reflecting or reflected))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 18:08
L13	90	((coil or coiled or coiling or coils) near4 (fiber or fibers or fibre or fibres or waveguide or waveguides)) same (back near2 (reflect or reflection or reflections or reflecting or reflected))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:52
L14	1	("6483635").PN.	USPAT	OR	OFF	2005/11/23 17:52
L15	3	((("5510921") or ("5701186") or ("6546014")).PN.	USPAT	OR	OFF	2005/11/23 17:52
L16	7	((("20030903020") or ("20010002486") or ("5469507") or ("20020164026") or ("5179591") or ("6360320") or ("5875430") or ("4763317")).PN.	US-PGPUB; USPAT	OR	OFF	2005/11/23 17:52
L17	1	("20020021465").PN.	US-PGPUB; USPAT	OR	OFF	2005/11/23 17:52
L18	7	((("5249194") or ("5412498") or ("6151343") or ("5802089") or ("6097159") or ("5778017") or ("5706303")).PN.	US-PGPUB; USPAT	OR	OFF	2005/11/23 17:52
L19	4	((("5345504") or ("5528582") or ("5892865") or ("5861966")).PN.	US-PGPUB; USPAT	OR	OFF	2005/11/23 17:52

L20	3	((("20010002195") or ("20010002196") or ("20010030785"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/11/23 17:52
L21	8	((("20020039218") or ("20020089725") or ("4655517") or ("4975899") or ("5572348") or ("5880864") or ("RE37125") or ("6356369"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/11/23 17:52
L22	10	((("5541917") or ("5969836") or ("5572347") or ("5365588") or ("4956863") or ("5253250") or ("6336201") or ("5793413") or ("5790523") or ("6674967"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/11/23 17:52
L23	8	((("5559858") or ("6460182") or ("6427035") or ("5349457") or ("6295148") or ("5325223") or ("6385366") or ("5572349"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/11/23 17:52
L24	7	((("6041056") or ("5666487") or ("5557317") or ("5534912") or ("5247347") or ("6097515") or ("RE35774"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/11/23 17:52
L25	6	((("6002720") or ("5550863") or ("5253275") or ("5132992") or ("6144702") or ("20020135843"))).PN.	US-PGPUB; USPAT	OR	OFF	2005/11/23 17:52
L26	1	((("0566662") or ("0933892") or ("4504433") or ("0180038") or ("0072821"))).PN.	EPO; JPO; DERWENT	OR	OFF	2005/11/23 17:52
L27	1	((("0566662") or ("0933892") or ("4504433") or ("0180038") or ("0072821"))).PN.	EPO; JPO; DERWENT	OR	OFF	2005/11/23 17:52
L28	1	((("0566662") or ("0933892") or ("4504433") or ("0180038") or ("0072821"))).PN.	EPO; JPO; DERWENT	OR	OFF	2005/11/23 17:52
L29	4	"0566662"	USPAT	OR	OFF	2005/11/23 17:52
L30	1	("4500990").PN.	USPAT	OR	OFF	2005/11/23 17:52
L31	99	((coil or coiled or coiling or coils) near4 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with (attenuate or attenuated or attenuates or attenuating or attenuator or attenuators or attenuation)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:52
L32	16	((coil or coiled or coiling or coils) near4 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with (attenuate or attenuated or attenuates or attenuating or attenuator or attenuators or attenuation)	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:52
L33	24	("3806224" "4217027" "4334903" "4367013" "4616901" "4666247" "4718746" "4721351" "4723828" "4728170" "4743086" "4804248" "4826288").PN. OR ("4881793") URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:52
L34	70	((coil or coiled or coiling or coils) near4 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with (termination or terminate or terminates or terminating or terminated)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:52

L35	22	((coil or coiled or coiling or coils) near4 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with (termination or terminate or terminates or terminating or terminated)	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:52
L36	0	("fumio.in." PN.	US-PGPUB; USPAT	OR	OFF	2005/11/23 17:52
L37	5342	fumio.in.	USPAT	OR	OFF	2005/11/23 17:52
L38	56	L37 and coiled	USPAT	OR	OFF	2005/11/23 17:52
L39	4	((optical or optic) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with ((termination or terminating or terminated or terminates or terminate) near2 (non-reflecting or nonreflecting))	USPAT	OR	OFF	2005/11/23 17:52
L40	5	((optical or optic) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with ((termination or terminating or terminated or terminates or terminate) near2 (non-reflecting or nonreflecting))	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:52
L41	40	((optical or optic) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with ((termination or terminating or terminated or terminates or terminate) near3 (coil or coils or coiled or coiling or spiraled or spirals or spiraling or spool or spools or wind or wound or winds or winding or loops or loop or looped or looping))	USPAT	OR	OFF	2005/11/23 17:52
L42	30	((optical or optic) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with ((termination or terminating or terminated or terminates or terminate) near3 (coil or coils or coiled or coiling or spiraled or spirals or spiraling or spool or spools or wind or wound or winds or winding or loops or loop or looped or looping))	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:52
L43	10	((optical or optic) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with ((termination or terminating or terminated or terminates or terminate) near2 (nonreflective or non-reflective))	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:52
L44	27	((optical or optic) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with ((termination or terminating or terminated or terminates or terminate) near2 (nonreflective or non-reflective))	USPAT	OR	OFF	2005/11/23 17:52
L45	25	L44 and (coil or coils or coiled or coiling or spool or spooled or spooling or spools or wind or wound or winding or winds)	USPAT	OR	OFF	2005/11/23 17:52

L46	31	((optical or optic) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with ((non-reflective or non-reflection or non-reflecting or nonreflective or nonreflection or nonreflecting) near2 (termination or terminating or terminated or terminate or terminates))	USPAT	OR	OFF	2005/11/23 17:52
L47	19	((optical or optic) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with ((non-reflective or non-reflection or non-reflecting or nonreflective or nonreflection or nonreflecting) near2 (termination or terminating or terminated or terminate or terminates))	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:52
L48	56	((optical or optic) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) same ((termination or terminating or terminated or terminate or terminates) with ((attenuation or attenuated or attenuating or attenuated or attenuates or suppress or suppression or suppresses or suppressed or suppressing or minimize or minimized or minimizing or minimization or minimizes or minimised or minimises or minimise or minimisation or minimising or reduce or reduced or reducing or reduction or reduces or eliminate or eliminates or eliminated or elimination or eliminating) near2 (reflection or reflected or reflections or reflecting or reflect or back-reflection or back-reflections or back-reflect or back-reflects or back-reflected or back-reflecting)))	USPAT	OR	OFF	2005/11/23 17:52
L49	39	((optical or optic) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) same ((termination or terminating or terminated or terminate or terminates) with ((attenuation or attenuated or attenuating or attenuated or attenuates or suppress or suppression or suppresses or suppressed or suppressing or minimize or minimized or minimizing or minimization or minimizes or minimised or minimises or minimise or minimisation or minimising or reduce or reduced or reducing or reduction or reduces or eliminate or eliminates or eliminated or elimination or eliminating) near2 (reflection or reflected or reflections or reflecting or reflect or back-reflection or back-reflections or back-reflect or back-reflects or back-reflected or back-reflecting)))	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:52
L50	10	(L48 or L49) and (coil or coiled or coils or coiling or wound or wind or winding or winds or loop or looped or looping or loops or spool or spooling or spooled or spools)	US-PGPUB; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:52

L51	32	(L48 or L49) and (coil or coiled or coils or coiling or wound or wind or winding or winds or loop or looped or looping or loops or spool or spooling or spooled or spools)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:52
L52	5396	((optical or optic) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with (coil or coiled or coiling or coils or looping or loops or looped or looped or spool or spooling or spooled or spools or wound or winds or wind or winding)	USPAT	OR	OFF	2005/11/23 17:52
L53	1808	((optical or optic) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with (coil or coiled or coiling or coils or looping or loops or looped or looped or spool or spooling or spooled or spools or wound or winds or wind or winding)	US-PGPUB; USOCR	OR	OFF	2005/11/23 17:52
L54	7057	((optical or optic) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with (coil or coiled or coiling or coils or looping or loops or looped or looped or spool or spooling or spooled or spools or wound or winds or wind or winding)	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:52
L55	34	((optical or optic) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with (coil or coiled or coiling or coils or looping or loops or looped or looped or spool or spooling or spooled or spools or wound or winds or wind or winding)) same ((attenuation or attenuated or attenuating or attenuated or attenuates or suppress or suppression or suppresses or suppressed or suppressing or minimize or minimized or minimizing or minimization or minimizes or minimised or minimises or minimise or minimisation or minimising or reduce or reduced or reduction or reduces or eliminate or eliminates or eliminated or elimination or eliminating) with (reflection or reflected or reflections or reflecting or reflect or back-reflection or back-reflections or back-reflect or back-reflects or back-reflected or back-reflecting))	USPAT	OR	OFF	2005/11/23 17:52

L56	15	((optical or optic) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with (coil or coiled or coiling or coils or looping or loops or looped or looped or spool or spooling or spooled or spools or wound or winds or wind or winding)) same ((attenuation or attenuated or attenuating or attenuated or attenuates or suppress or suppression or suppresses or suppressed or suppressing or minimize or minimized or minimizing or minimization or minimizes or minimised or minimises or minimise or minimisation or minimising or reduce or reduced or reducing or reduction or reduces or eliminate or eliminates or eliminated or elimination or eliminating) with (reflection or reflected or reflections or reflecting or reflect or back-reflection or back-reflections or back-reflect or back-reflects or back-reflected or back-reflecting))	US-PGPUB; USOCR	OR	OFF	2005/11/23 17:52
L57	17	((optical or optic) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with (coil or coiled or coiling or coils or looping or loops or looped or looped or spool or spooling or spooled or spools or wound or winds or wind or winding)) same ((attenuation or attenuated or attenuating or attenuated or attenuates or suppress or suppression or suppresses or suppressed or suppressing or minimize or minimized or minimizing or minimization or minimizes or minimised or minimises or minimise or minimisation or minimising or reduce or reduced or reducing or reduction or reduces or eliminate or eliminates or eliminated or elimination or eliminating) with (reflection or reflected or reflections or reflecting or reflect or back-reflection or back-reflections or back-reflect or back-reflects or back-reflected or back-reflecting))	EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:52
L58	799	(385/140).CCLS.	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2005/11/23 17:52
L59	74	L58 and (coil or coiled or coiling or coils)	US-PGPUB; USPAT; USOCR; JPO	OR	OFF	2005/11/23 17:52
L60	24	("3806224" "4217027" "4334903" "4367013" "4616901" "4666247" "4718746" "4721351" "4723828" "4728170" "4743086" "4804248" "4826288").PN. OR ("4881793").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:52
L61	16	("3982123" "4277134" "4557550").PN. OR ("4721351").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:52

L62	5	("4697869" "4721351" "5097529" "5311614" "5684912").PN. OR ("6466728").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:52
L63	12	("4697869" "4721351" "4808204" "4822125" "4996420" "5039188" "5311614" "5319734").PN. OR ("5684912").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:52
L64	26	(L52 or L53) and (loops with (attenuation or attenuated or attenuator or attenuators or attenuating or attenuate or attenuates))	USPAT	OR	OFF	2005/11/23 17:52
L65	36	(L52 or L53) and (loops with (attenuation or attenuated or attenuator or attenuators or attenuating or attenuate or attenuates))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:52
L66	0	("2005/00533350").URPN.	USPAT	OR	OFF	2005/11/23 17:52
L67	6	("3893753" "4664484" "4697869" "4852964" "5319734").PN. OR ("6456775").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:52
L68	12	("4878730" "4958903" "5189724" "H000595").PN. OR ("5319734").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:52
L69	18	("4802724" "4900121").PN. OR ("5189724").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:52
L70	16	("4171867" "4610503" "4619499").PN. OR ("4802724").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:52
L71	7204	((((optical or optic) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with (coil or coiled or coiling or coils or looping or loops or looped or looped or spool or spool or spooling or spooled or spools or wound or winds or wind or winding)).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:52

L72	2490	(((optical or optic) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with (coil or coiled or coiling or coils or looping or loops or looped or looped or spool or spooling or spooled or spools or wound or winds or wind or winding))).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:52
L73	1225	(((optical or optic) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with (coil or coiled or coiling or coils or spool or spooling or spooled or spools)).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:53
L74	12	("3817595" "4699451" "4741594" "4852964" "4883337" "5002359").PN. OR ("5182785").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:53
L75	55	("1850074" "2576335" "2715457" "2753042" "3396839" "3443683" "3590481" "3612233" "3982712" "4036451" "4311050" "4410084" "4519500" "4520239" "4595839" "4623062" "4623063" "4632246" "4657140" "4676446" "4702551").PN. OR ("4846343").URPN	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:53
L76	3	(((optical or optic) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with ((terminates or terminated or terminating or termination or terminate or attenuator or attenuators or attenuation or attenuate or attenuated or attenuates or attenuating) near2 (coil or coiled or coiling or coils or spool or spooling or spooled or spools))).ti.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:53
L77	8	(((optical or optic) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with ((terminates or terminated or terminating or termination or terminate or attenuator or attenuators or attenuation or attenuate or attenuated or attenuates or attenuating) near2 (coil or coiled or coiling or coils or spool or spooling or spooled or spools))).ab.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 17:53
L78	684	(385/140).CCLS.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:53
L79	13	L78 and (spool or mandrel)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:53

L80	1	("6466728").PN.	USPAT	OR	OFF	2005/11/23 17:53
L81	5	("4697869" "4721351" "5097529" "5311614" "5684912").PN. OR ("6466728").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:53
L82	12	("4697869" "4721351" "4808204" "4822125" "4996420" "5039188" "5311614" "5319734").PN. OR ("5684912").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:53
L83	30	("4364639" "4449210" "4516827" "4519671" "4529262" "4591786" "4645294" "4721351" "4747652" "4759605" "4822125" "4850670" "4904044" "4952798" "4979793" "4982083" "4989938" "5029962").PN. OR ("5311614").URPN.	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:53
L84	762	((fiber or fibers or fiber or fibres or fiber-optic or fiberoptic or fibre-optic or fibre-optic or fibroptic) near2 (termination or terminations or terminate or terminates or terminating))	EPO; JPO; DERWENT	OR	OFF	2005/11/23 17:53
L85	79	L84 and (reflection or reflections or back-reflection or back-reflections or reflected or reflects or reflecting or reflect)	EPO; JPO; DERWENT	OR	OFF	2005/11/23 17:53
L86	64	((((number) near2 (loops or winds or wound or coils or looped or looping or coiling or winding or coiled)) with (loss or attenuation or attenuated or attenuating or attenuates or attenuate))	EPO; JPO; DERWENT	OR	OFF	2005/11/23 17:53
L87	165	((((number) near2 (loops or winds or wound or coils or looped or looping or coiling or winding or coiled)) with (loss or attenuation or attenuated or attenuating or attenuates or attenuate))	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:53
L88	8	L86 and (optical or optic or light or fiber or fibre or fibers or fibres or fiber-optic or fiberoptic or fibreoptic or fibre-optic)	EPO; JPO; DERWENT	OR	OFF	2005/11/23 17:53
L89	77	L87 and (optical or optic or light or fiber or fibre or fibers or fibres or fiber-optic or fiberoptic or fibreoptic or fibre-optic)	US-PGPUB; USPAT; USOCR	OR	OFF	2005/11/23 17:53
L90	31	((optical or optic) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with ((non-reflective or non-reflection or non-reflecting or nonreflective or nonreflection or nonreflecting) near2 (termination or terminating or terminated or terminate or terminates))	USPAT	OR	OFF	2005/11/23 18:08
L91	8	L90 and (package or packages or housing)	USPAT	OR	OFF	2005/11/23 17:53
L92	12	"385"/\$.cccls. and housing and splitter and fiber and spool	USPAT	OR	OFF	2005/11/23 17:53
L93	29	"385"/\$.cccls. and housing and splitter and fiber and attenuator	USPAT	OR	OFF	2005/11/23 17:53

L94	1244	(1 or 2 or 3 or 4 or 5 or 6 or 7 or 8 or 9 or 10 or 11 or 12 or 13 or 14 or 15 or 16 or 17 or 18 or 19 or 20 or 21 or 22 or 23 or 24 or 25 or 26 or 27 or 28 or 29 or 30 or 31 or 32 or 33 or 34 or 35 or 36 or 37 or 38 or 39 or 40 or 41 or 42 or 43 or 44 or 45 or 46 or 47 or 48 or 49 or 50 or 51 or 52 or 53 or 54 or 55 or 56 or 57 or 58 or 59 or 60 or 61 or 62 or 63 or 64 or 65 or 66 or 67 or 68 or 69 or 70 or 71 or 72 or 73 or 74 or 75 or 76 or 77 or 78 or 79 or 80 or 81 or 82 or 83 or 84 or 85 or 86 or 87 or 88 or 89 or 90 or 91 or 92 or 93) and @pd> "20050502"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 18:06
L95	6	((coil or coiled or coiling or coils or wind or winding or wound) near4 (fiber or fibers or fibre or fibres or waveguide or waveguides)) same (back near2 (reflect or reflection or reflections or reflecting or reflected)) and @pd> "20050425"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 18:10
L96	0	((optical or optic) near2 (fiber or fibers or fibre or fibres or waveguide or waveguides)) with ((non-reflective or non-reflection or non-reflecting or nonreflective or nonreflection or nonreflecting) near2 (termination or terminating or terminated or terminate or terminates)) and @pd> "20050425"	USPAT	OR	OFF	2005/11/23 18:09
L97	10	(6 or 7 or 9 or 10 or 11 or 13) and @pd> "20050428"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/11/23 18:10